


# PHP - Beyond the Basics

**John Valance**

**JValance Consulting**  
**[johnv@jvalance.com](mailto:johnv@jvalance.com)**

# About John Valance



- Independent consultant
  - Specialty is helping iSeries shops develop web applications, and related skills
  - Training, mentoring, consultation and coding
- 25+ years iSeries/AS400 experience
- 12+ years of web development experience
  - Web scripting language of choice = PHP
- Frequent presenter on web development topics
- Trainer for Zend Technologies
  - Teaches Intro to PHP for RPG programmers

# Goals of This Presentation

- Cover tips and techniques useful to development of business applications in PHP on System i
- Topics:
  - Database paging
  - File system processing / Writing CSV Content
  - Email
  - Session management / Cookies

# Assumptions

- You understand
  - Basic PHP syntax
  - Basics of web application coding in PHP
  - Have done some basic DB2 applications with PHP
- You are ready to go a little deeper
  - Pick up a few ideas and “how-to” tips

# Database Paging



# Database Paging

- Large Result Sets
  - Don't load all records on screen at once
  - Show subset page by page
    - i.e. 20 to 50 records per page
- Similar to Subfile
  - But techniques very different, due to HTTP
- Need mechanism / algorithm to allow user-controlled page access

# Database Paging

- Need to use a scrollable cursor
  - Option on `db2_prepare()`: `'cursor'` => `DB2_SCROLLABLE`
  - This allows us to **read a specific row** number in result set
  - High performance record-level access
- Compute starting row number to retrieve as:  
$$\$rowNum = (PAGE\_SIZE * \$pageNum) - PAGE\_SIZE + 1;$$
- Retrieve `$pageNum` from HTML form field
  - If not present, default to page 1
- Add buttons on screen for Next, Previous
  - These will request `$page+1`, `$page-1`

# Database Paging

## Additional Features

- On first page, disable the “Previous” button

```
if ($pageNum == 1) $prevState = "disabled";
```

- On last page, disable the “Next” button

- After loading page, try to retrieve next record

- If no more, disable the “Next” button

```
if (!$row = db2_fetch_assoc($stmt, $rowNum))  
    $nextState = "disabled";
```

- In HTML, echo \$nextState and \$prevState within the button tags



# Database Paging

Even Fancier...

- ✓ Show Page X of Y
- ✓ Add buttons for “First Page”, “Last Page”
- First Page button is easy...
  - Just request page = 1 when button clicked
  - Disable the button if current page=1
    - Can use `$prevState` we calculated earlier
- For X of Y, and last page, we need to know how many pages there are in query result
  - Note: Disable the last page button if currently on last page
    - Can use `$nextState` we calculated earlier

# Database Paging

## Page X of Y and Last Page Link

- We need to know how many pages there are in query result
- We need to do a separate SELECT to count number of rows in result

```
SELECT COUNT(*) as ROW_COUNT
FROM <same table> JOIN <same joins>
WHERE <same conditions>
```
- We can then calculate total pages as:

```
$numberOfPages =
    ceil( (int)$row['ROW_COUNT'] / PAGE_SIZE);
```
- Use ceil() function to round page number up.

# IFS Files and CSV Processing



# File Processing

- By file, we mean IFS files, not object type \*FILE.
  - E.g., text files, PDF, images, Excel, CSV
- PHP core includes numerous file system functions
  - <http://us2.php.net/manual/en/ref.filesystem.php>
- Two types of file functions:
  - File name-based
    - Dealing with the file as a whole
    - Receive a file name as parameter
  - Resource-based
    - Open a file to read/write portions of the file's contents
    - Receive a file "handle" resource as input

# File Name-based Functions

- Some File Name-based Functions
  - bool **file\_exists** ( \$filename )
  - string **file\_get\_contents** ( \$filename )
    - file\_get\_contents can use a URL as \$filename
    - If it contains special characters, encode it with urlencode()
  - int **file\_put\_contents** ( \$filename , \$data )
  - int **file\_size** ( \$filename )
  - bool **copy** ( \$source , \$dest )
  - bool **unlink** ( \$filename )
- If no path specified, file is searched for in same folder as php script
  - Some functions allow option to use include\_path to search for files

# File System Functions

## Resource-based File Handling

- First, open the file using `fopen()` function

- `fopen()` returns a file-handle resource

```
$fh = fopen('myfile.txt', 'a');
```

- Use resource returned by `fopen()` to call functions to read and write data

```
$text = fread($fh, file_size('myfile.txt'));
```

```
fwrite($fh, "some new text\n");
```

- Lastly, close the file resource using `fclose()`

```
fclose($fh);
```

# fopen() and Resource-based functions

- resource **fopen** ( string \$filename , string \$mode )
  - \$mode is open mode for file processing:
    - See table on next slide for fopen mode options
- Some resource-based functions
  - string **fread** ( resource \$handle , int \$length )
  - int **fwrite** ( resource \$handle , string \$string [, int \$length ] )
  - int **fseek** ( resource \$handle , int \$offset [, int \$whence ] )
  - bool **feof** ( resource \$handle )
  - bool **fclose** ( resource \$handle )

# fopen() mode flags

Mode	Function	Read	Write	Pointer	Overwrite	Create
r	open	Yes	No	begin	No	No
r+	open	Yes	Yes	begin	No	No
w	open	No	Yes	begin	Yes	Yes
w+	open	Yes	Yes	begin	Yes	Yes
a	open	No	Yes	end	No	Yes
a+	open	Yes	Yes	end	No	Yes
x	create	No	Yes	begin	No	No
x+	create	Yes	Yes	begin	No	No
c	open/create	No	Yes	begin	No	Yes
c+	open/create	Yes	Yes	begin	No	Yes
b	binary file	Specify b along with above mode flags if binary file				



# CSV file handling

- PHP has built-in CSV handling functions
  - Resource-based functions – need to use fopen() to get \$handle
- int **fputcsv** ( resource \$handle , array \$fields )
  - Parses the array \$fields into a comma-separated string
  - Write the string to the end of the file denoted by \$handle
    - Strings automatically quoted if contain blanks or commas
    - Includes newline at end of CSV string
  - Returns number of bytes written
- array **fgetcsv** ( resource \$handle )
  - Reads one line from \$handle
  - Parses CSV content and returns an array containing an element for each value in the CSV string
  - Advances the file pointer to next line for looping

# Building CSV files from DB2 content

- Easy to create a CSV file from an SQL query
- Use `db2_fetch_array()`
  - Returns an array of field values based on an SQL query
- Pass returned array to `fputcsv()`

```
$conn = db2_connect ( "*LOCAL", "USER", "PSWD" );
$stmt = db2_prepare( $conn, "SELECT * FROM MYTABLE" );
db2_execute( $stmt );
$fh = fopen('mytable.csv', 'w');
while ( $row = db2_fetch_array( $stmt ) ) {
    fputcsv($fh, $row);
}
fclose($fh);
db2_close($conn);
```

# Adding Column Headings to CSV File

- Use `db2_num_fields()` and `db2_field_name()` functions
- Add the following before reading/writing data rows:

```
for ($col = 0; $col < db2_num_fields($stmt); $col++)  
    $headings[] = db2_field_name( $stmt, $col );  
fputcsv($handle, $headings); // first line of CSV file
```
- If cryptic DDS field names, use 'AS' in SELECT
  - `SELECT CSCNUM as "Customer Number",  
CSNAME as "Customer Name"`

# Delivering a File to the Browser

- Instead of writing to IFS, send it to user
  - User will get a “File open/save” dialog
- We can access the PHP output stream as a file resource
  - php://output – Use this as filename in fopen()
  - Specify mode = ‘w’ (write)

```
$handle = fopen("php://output", 'w');
```

- Need to do two other things:
  - Buffer output
    - Want to deliver the file all at once
  - Specify content type and file name
    - Use header() function to set values in HTTP headers sent to browser

# Delivering a File to the Browser

```
ob_start(); // start output buffering
// set file type and name in HTTP header
header("Content-type: application/csv;");
header('Content-Disposition: attachment;
        filename="membership.csv"');
... do db2 query execute
$handle = fopen("php://output", 'w');
... write content to $handle as before
... after db2_close() and fclose():
// Flush output buffer - send entire file to browser
ob_end_flush();
```

# Sending Email



# Sending Email

- PHP mail() function
  - Built-in to PHP core
  - Simple, easy to use
  - Best suited for text-only messages


**bool mail** ( string \$to , string \$subject , string \$message [, string \$headers] )

*Example:*

```
$to      = 'customer@gmail.com';
$subject = 'Test Email';
$message = 'Testing 1,2,3';
$headers = "From: custserv@ourcompany.com\n" .
           "Reply-To: custserv@ourcompany.com\n";
mail($to, $subject, $message, $headers);
```

- SMTP server/port is set in php.ini

# Adding Email Attachments

- Underlying protocols are complex
  - based on RFC822
- Can be done with `mail()` function, but not easy
  - Requires understanding MIME formats
    - MIME = Multipurpose Internet Mail Extensions
    - <http://en.wikipedia.org/wiki/MIME>
- Best to use a package that makes it simple
  - PEAR::Mail\_Mime
    - [http://pear.php.net/package/Mail\\_Mime](http://pear.php.net/package/Mail_Mime)
  - Zend Framework: `Zend_Mail` class 
    - <http://framework.zend.com/manual/1.11/en/zend.mail.html>
    - Zend Framework included with Zend Server (even CE)
    - Very simple interface
    - Great integration with other Zend products



# Using Zend\_Mail

- To use Zend Framework classes in your code, add these two lines at top of your script:

```
require_once 'Zend/Loader/Autoloader.php';  
Zend_Loader_Autoloader::getInstance();
```

*Note: path to Zend Framework library folder is already set in your include path by ZS installation*

- Example – sending plain text message:

```
$mail = new Zend_Mail();  
$mail->setFrom('jvalance@sprynet.com', 'Our Company');  
$mail->addTo('jvalance@sprynet.com', 'J. Valance');  
$mail->addTo('john.valance@gmail.com', 'John V.');
```

```
$mail->setSubject('Test Order Confirm');
```

```
$mail->setBodyText('This is to confirm your recent order...');
```

```
$mail->send();
```

# Add an Attachment

```
$pdf = file_get_contents('some_pdf_file.pdf');  
$attach = $mail->createAttachment(  
    $pdf,  
    'application/pdf',  
    Zend_Mime::DISPOSITION_ATTACHMENT,  
    Zend_Mime::ENCODING_BASE64  
    );  
$attach->filename = 'brochure.pdf';
```

- **Note:** `application/pdf` = Content-type
  - Tells email client what program to open attachment with
  - *Other examples:*
    - `application/csv` (Excel most likely)
    - `img/jpg`

# HTML-formatted Emails

- Use `$mail->setBodyHtml( '...html content...' )`
- Should also `setBodyText( '...text content...' )` for recipients that only receive text
- HTML emails can be tricky...
  - Some email clients don't handle them well / the same
    - Web-based clients
    - PDAs / Smart-phones
  - A lot of companies stick to plain text notification emails
  - Rules of thumb for successful HTML emails:
    - Use `<table>`s for layout (vs. CSS positioning etc.)
    - Specify CSS attributes inline, vs, style sheet
      - i.e. - as `<tag style="...">` attribute, no matter how redundant
  - Images in HTML:
    - better to use external file references for images (vs. image attachments)
    - i.e. `<img src=http://www.mycompany.com/logo.gif>`

# Session Management and Cookies



# Session Management

- HTTP protocol is stateless
  - There is no continuous connection to server
  - Each request/response is completely independent of the next
- Web applications need a mechanism to simulate a user session
- PHP makes this easy with session functions and session variables
- Session variables are stored on the server by PHP
  - Session variables are keyed by a session ID
  - Session variables are accessed via the `$_SESSION` array
- Session ID is stored in a cookie on the client
  - This is triggered by PHP's `session_start()` function
  - Cookies are automatically sent with request by browser

# Session Management

- **Login Script:**

```
session_start(); // must happen before any output
... validate user/pswd
$_SESSION['userid'] = $_POST['userid'];
... other processing
```

- **Application scripts include this at top:**

```
session_start();
if (!isset($_SESSION['userid']))
    header('Location: login.php'); // redirect to login
    exit; // always exit after redirect
else
    echo "Hello " . $_SESSION['userid'];
```

- **Logout:**

```
session_start();
session_destroy();
setcookie(session_name(), '', 0, '/'); // expire cookie
header('Location: login.php'); // redirect to login
exit; // always exit after redirect
```

# Session Persistence

Session variables persist until one of these happens:

- `session_destroy()` is called
- browser windows are all closed
- session cookie times out
  - based on **`session.cookie_lifetime`** in `php.ini`
  - this is unreliable – better to code your own session timeout logic
- session garbage collection takes place
  - based on **`session.gc_maxlifetime`** in `php.ini`

# Session Timeout Handling

## ➤ Session timeout logic

```
if (isset($_SESSION['LAST_ACTIVITY'])
&& (time() - $_SESSION['LAST_ACTIVITY'] > 1800)) {
    // last request was more than 30 minutes ago
    session_destroy(); // destroy session data
    session_unset();   // unset $_SESSION vars

    // expire cookie

    setcookie(session_name(), '', 0, '/');
} else {
    // update last activity time stamp
    $_SESSION['LAST_ACTIVITY'] = time();
}
```



# Cookies

- To persist user information beyond a session, set a cookie

```
setcookie(  
    'mycookie',           // name  
    'Oreo',               // value  
    time()+(60*60*24*30), // expire in 30 days  
);
```

- Must call `setcookie()` before any browser output
  - because cookies are set via response headers
- Retrieve value via `$_COOKIES` array:

```
$cookieValue = $_COOKIES['mycookie']; // 'Oreo'
```

# Summary



# Summary

- Database paging
  - Scrollable cursor
  - Specify starting row on `db2_fetch`
- File system processing / Writing CSV Content
  - File-based functions vs. Resource-based functions
  - `fputcsv()` and `fgetcsv()`
  - `$download = fopen("php://output", 'w');`
    - Use buffering
    - Specifying file name and type with `header()` function

# Summary

## ➤ Email

- mail() – simple emails without attachments
- Zend\_Mail – attachments / HTML

## ➤ Session management / Cookies

- HTTP = stateless protocol
- session\_start() / session\_destroy()
- \$\_SESSION array
- setcookie() – persist information beyond session

# More Information

- John Valance
  - JValance Consulting
  - johnv@jvalance.com
  - 802-355-4024
  
- Contact me for source code